

“How to Head off Deep Vein Thrombosis” References, June 2006

1. Agency for Healthcare Research and Quality. “Chapter 31. Prevention of Venous Thromboembolism (continued): Table 31. 1. Mechanical and pharmacologic preventative measures for VTE.”
<http://www.ahrq.gov/CLINIC/PTSAFETY/chap31b.htm>. Accessed 12 May 2006.
2. Vanek VW. Meta-analysis of effectiveness of intermittent pneumatic compression devices with a comparison of thigh-high to knee-high sleeves. *American Surgeon* 1998;64:1050-1058.
3. Westrich GH, Haas SB, Mosca P, Peterson M. Meta-analysis of thromboembolic prophylaxis after total knee arthroplasty. *J Bone Joint Surg* 2000;82-8:795-800.
4. Proctor MC. and Greenfield LJ . (2001) Thromboprophylaxis in an Academic Medical Center. *Cardiovascular Surgery* 9 (5) : 426-30., 2001 Oct.
5. Soderdahl, D W, Henderson Sr, Hansberry KL. (1997). A Comparison of Intermittent Pneumatic Compression of the Calf and Whole Leg in Preventing Deep Venous Thrombosis in Urological Surgery. *J Urol*, 157: 1774-76 and Wakefield, TW and Zajkowski, PJ, Proctor, MC, Greenfield LJ, (2001). A Clinical Comparison for Pneumatic Compression Devices: The Basis of Selection. *Journal of Vascular Surgery*, 34 (3), 459-63.